

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

# LISTING SERVICE

**LISTING No.** 7165-0476:108 Page 1 of 1

**CATEGORY:** Control Units (Non High-Rise)

**LISTEE:** Harrington Signal, 2519 4th Avenue, Moline, IL 61265  
Contact: Andrew Keller (309) 762-0731

**DESIGN:** Model HS-3000 control unit. Local, auxiliary, remote station, and proprietary. Noncoded, automatic, manual, and waterflow service. Refer to listee's data sheet for detailed product description and operational considerations. Modules included in this listing:

2BI/2BIX/2AI/2AIX	Expansion Cards
BIN/BIXN/AIN/AIXN	Expansion Cards
CE-B, CE-V	Common Equipment Board
PSI	Power Supply Interface
CH-L, PS	Power Supply
VBC-1/-2/-4	Verified Bridge Cards
LR	Line Reversal Module
V-REG	Adjustable Voltage Module
4BI	Input Card
2N	Indicating Module
DM	Diode Matrix Module
TD	Time Delay Module
CCM	Common Coding Module
RCH/ACK, 10-RC	Relay Module
1MT	Test Module
X-PWR	Power Supply Module

**INSTALLATION:** In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.

**MARKING:** Listee's name, model number electrical rating and UL label.

**APPROVAL:** Listed as a fire alarm control unit when use in conjunction with separately listed compatible initiating and indicating devices.

This control unit does not generate a temporal pattern signal. If the distinctive three-pulse Temporal Pattern Fire Alarm Evacuation Signal (for total evacuation) in accordance with NFPA 72, 1993 Edition is required, the control unit must be used with appliances that can generate the temporal pattern signal. Refer to manufacturer's Installation Manual for details.



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: **JUNE 9, 2002**

*Listing Expires **June 30, 2003***

Authorized By: **DIANE K. AREND, Senior Deputy  
Program Manager**